

RSMS Quickstart Guide

Disclaimer

The U.S. Environmental Protection Agency (EPA) through its Office of Research and Development funded and managed the research described herein under contract EP-C-12-014 with APTIM and their subcontractor Global Quality Corporation. It has been subjected to the Agency's review and has been approved for publication. Note that approval does not signify that the contents necessarily reflect the views of the Agency. Any mention of trade names, products, or services does not imply an endorsement by the U.S. Government or EPA. The EPA does not endorse any commercial products, services, or enterprises.

Guide

1. Open <https://rsms.hydrotrek.com/> in any browser and log in (Figure 1).

Home About Contact Log in

For official use only

Please contact ORSANCO to request a login account.

Email

Password

Remember me?

Log in

© 2018 - RSMS

Figure 1

2. **Home** will be the default page after the user has logged in (Figure 2).

Home About Contact Spills Parameters Results Flows Log off

RSMS

Riverine Spill Modeling System (RSMS) is a free web-based system for modeling river spills.

Origin

EPA Office of Research and Development (ORD) in 200X funded the original development of the Riverine Spill Modeling System (RSMS) The RSMS model was originally a desktop application designed to use on a Windows PC. The Ohio River Valley Water Sanitation Commission (ORSANCO), an interstate commission representing eight states and the federal government implemented the model for the Ohio River.

Usage

The RSMS model has been used for over a decade by ORSANCO. The current version of the model uses the flow and cross sections of the river provided by the USACE HEC-RAS Model. More information about the HEC-RAS Model can be found online at the [USACE HEC-RAS website](#).

Features

Integration with HEC-RAS, navigable dynamic plots, multiple user support, responsive web-based interface that can be used on any modern web-enabled device, including personal computers, tablets and smart phones.

[Download Quickstart »](#)

Figure 2

3. Click on the Spills Page.

The active spill will be shown highlighted (Figure 3).

Home About Contact **Spills** Parameters Results Flows Barges Delete Login Register Role Log off

View Edit Delete Create Simulate with Parameter ID 1

Spill ID	Description	River	River Mile	Quantity (lb)	Start	Time Zone	Duration (hrs)
82	xxx River Spill on yyyy	Ohio River	475	100000	3/17/2021 11:26:59 AM	EST	5
81	xxx River Spill on yyyy	Ohio River	475	100000	3/17/2021 11:26:48 AM	EST	5
80	test River Spill on 3/17	Ohio River	475	100000	3/17/2021 7:19:44 AM	EST	5
56	BOSC Kanawha River Spill	Kanawha River	15	1000000	12/7/2018 9:23:04 AM	EST	5
55	Louisville Christmas Spill	Ohio River	478	4000000	12/20/2017 12:00:00 PM	EST	5
50	Test Marathon Refinery Spill	Ohio River	318	100000	3/1/2017 1:53:48 PM	EST	5
10	Microcystis Bloom - Aug-Sept 2015	Ohio River	341	10000	9/28/2015 4:00:00 AM	EST	5
1	Elk Spill	Kanawha River	54	80000	1/9/2014 8:00:00 AM	EST	24

View Edit Delete Create Simulate with Parameter ID 1

© 2021 - RSMS

Figure 3

To create a spill, click on the **Create** action link to go to the **Create** page and use the form as shown in (Figure 4).

Home About Contact Spills Parameters Results Flows Barges Log off

Description

River

River Mile

Quantity (lb)

Start

TimeZone

Spill Duration (hrs)

[Back](#)

Figure 4

To view the details of a spill, click on that row and then click on the **View** action link to go to the **View** page for the selected spill (Figure 5).

Home About Contact Spills Parameters Results Flows Barges Log off

Spill ID	83	Quantity (lb)	100000
Description	xxx River Spill on yyyy	Start	4/5/2021 3:46:07 PM
River	Ohio River	TimeZone	EST
River Mile	475	Duration (hrs)	5

[Back](#)

© 2021 - RSMS

Figure 5

To edit a spill, click on that row and then click on the **Edit** action link to go to the **Edit** page and use the form as shown in (Figure 6)

The screenshot shows the 'Edit Spill' form in the RSMS application. The form contains the following fields:

- Description:** xxx River Spill on yyyy
- River:** Ohio River (dropdown menu)
- River Mile:** 475
- Quantity (lb):** 100000
- Start:** 4/5/2021 3:46:07 PM
- TimeZone:** EST (dropdown menu)
- Duration (hrs):** 5

Below the form is a 'Save' button and a 'Back' link. The footer of the page reads '© 2021 - RSMS'.

Figure 6

To delete a spill, click on that row and then click on the **Delete** action link. A confirmation pop up box will appear. Click ok to delete a spill (Figure 7).

The screenshot shows the 'Spills' list in the RSMS application. A confirmation dialog box is overlaid on the list, asking 'Are you sure you want to delete the entry with ID 83?'. The dialog has 'OK' and 'Cancel' buttons. The table below the dialog shows the following data:

Spill ID	Description	River	River Mile	Quantity (lb)	Start	Time Zone	Duration (hrs)
83	xxx River Spill on yyyy	Ohio River	475	100000	4/5/2021 3:46:07 PM	EST	5

Below the table are 'View', 'Edit', 'Delete', 'Create', and 'Simulate' action links. The footer of the page reads '© 2021 - RSMS'.

Figure 7

4. Click on the **Parameters** Page

The active parameter will be shown highlighted (Figure 8).

Parameter ID	Description	River Stations	Dispersion Factor	Decay rate (/day)	Simulation Duration (days)	Simulation Time step (hours)	Flow Tolerance (cfs)	Concentration Tolerance (mg/l)	Minimum Velocity (ft/s)	Flow Multiplier	Dead Zone Mainstem Average Velocity (cfs)	Dead Zone Exchange Rate	Dead Zone Flow Area Fraction
1	Default Simulation Parameters	49	0	0.00000	3	1	10	1	0.1	1	1	0.0000045	0.1
35	Simulation Parameters	50	0	0.00000	2	1	10	0.001	0.1	1	1	0.0000045	0.1
34	Test Simulation Parameters	150	0	0.00000	7	1	10	0.001	0.1	1	1	0.0000045	0.1
33	Simulation Parameters	80	0	0.00000	7	1	10	0.001	0.1	1	1	0.0000045	0.1

Figure 8

To create a Parameter, click on the **Create** action link to go to the **Create** page and use the form as shown in (Figure 9).

Home	About	Contact	Spills	Parameters	Results	Flows	Delete Login	Register	Role	Log off
------	-------	---------	--------	------------	---------	-------	--------------	----------	------	---------

Dead Zone

Figure 9

To view the details of a parameter, click on that row and then click on the **View** action link to go to the **View** page for the selected parameter (Figure 10).

Home		About		Contact		Spills		Parameters		Results		Flows		Delete Login		Register		Role		Log off	
Sim Params ID	1	Concentration	1																		
Description	Default Simulation Parameters	Tolerance (mg/l)																			
River Stations	49	Minimum Velocity (ft/s)	0.1																		
Dispersion Factor	0	Flow Multiplier	1																		
Decay rate (/day)	0.00000	DeadZone																			
Simulation Duration (days)	3	Mainstem Average Velocity (cfs)	1																		
Simulation Time step (hours)	1	Exchange Rate	0.0000045																		
Flow Tolerance (cfs)	10	Flow Area Fraction	0.1																		

[Back](#)

Figure 10

To edit a parameter, click on that row and then click on the **Edit** action link to go to the **Edit** page and use the form as shown in (Figure 11).

Home		About		Contact		Spills		Parameters		Results		Flows		Delete Login		Register		Role		Log off	
Description	<input type="text" value="Default Simulation Parametr"/>																				
River Stations	<input type="text" value="49"/>																				
Dispersion Factor	<input type="text" value="0"/>																				
Decay rate (/day)	<input type="text" value="0.00000"/>																				
Simulation Duration (days)	<input type="text" value="3"/>																				
Hide Advanced Settings																					
Simulation Time step (hours)	<input type="text" value="1"/>																				
Flow Tolerance (cfs)	<input type="text" value="10"/>																				
Concentration Tolerance (mg/l)	<input type="text" value="1"/>																				
Minimum Velocity (ft/s)	<input type="text" value="0.1"/>																				
Flow Multiplier	<input type="text" value="1"/>																				
Dead Zone																					
Mainstem Average Velocity (cfs)	<input type="text" value="1"/>																				
Exchange Rate	<input type="text" value="0.0000045"/>																				
Flow Area Fraction	<input type="text" value="0.1"/>																				
<input type="button" value="Save"/>																					

[Back](#)

Figure 11

To delete a parameter, click on that row and then click on the **Delete** action link. A confirmation pop up box will appear. Click ok to delete a parameter (Figure 12).

Parameter ID	Description	River Stations	Dispersion Factor	Duration (/day)	Time Step (days)	Velocity (hours)	Concentration (cfs)	Velocity (mg/l)	Velocity (ft/s)	Flow Multiplier	Dead Zone Mainstem Average Velocity (cfs)	Dead Zone Exchange Rate	Dead Zone Flow Area Fraction
1	Default Simulation Parameters	49	0	0.00000	3	1	10	1	0.1	1	1	0.0000045	0.1
37	Simulation Parameters	50	0	0.00000	3	1	10	0.001	0.1	1	1	0.0000045	0.1
35	Simulation Parameters	50	0	0.00000	2	1	10	0.001	0.1	1	1	0.0000045	0.1
34	Test Simulation Parameters	150	0	0.00000	7	1	10	0.001	0.1	1	1	0.0000045	0.1

Figure 12

5. Click on the **Spills** Page

To run a simulation, click on that row and then click on the Simulate button. The simulation will run a spill alongside a parameter the *set of values* inside a parameter can be set up on the **Parameters** Page. When the simulation is complete a pop up box will be shown and the results from the run can be seen on the **Results** Page (Figure 13).

Spill ID	Description	River	Duration	Concentration	Start Time	Time Zone	Duration (hrs)
80	test River Spill on 3/17	Ohio River	475	100000	3/17/2021 7:19:44 AM	EST	5
56	BOSC Kanawha River Spill	Kanawha River	15	1000000	12/7/2018 9:23:04 AM	EST	5
55	Louisville Christmas Spill	Ohio River	478	4000000	12/20/2017 12:00:00 PM	EST	5
50	Test Marathon Refinery Spill	Ohio River	318	100000	3/1/2017 1:53:48 PM	EST	5
10	Microcystis Bloom - Aug-Sept 2015	Ohio River	341	10000	9/28/2015 4:00:00 AM	EST	5
1	Elk Spill	Kanawha River	54	80000	1/9/2014 8:00:00 AM	EST	24

Figure 13

6. Click on the **Results** Page

The active result will be shown highlighted (Figure 14).

Home	About	Contact	Spills	Parameters	Results	Flows	Barges	Delete Login	Register	Role	Log off
----------------------	-----------------------	-------------------------	------------------------	----------------------------	--------------------------------	-----------------------	------------------------	------------------------------	--------------------------	----------------------	-------------------------

[View](#) | [Delete](#) | [Charts](#) | [Map](#) | Downloads: [C vs X](#) [C vs T](#) [Flow](#)

Results ID	Run Date Time	Spill ID	Spill Description	River	Parameters ID	Parameters Description
315	4/5/2021 7:50:55 PM	80	test River Spill on 3/17	Ohio River	1	High Decay Rate Simulation Parameters
314	4/5/2021 7:45:52 PM	10	Microcystis Bloom - Aug-Sept 2015	Ohio River	1	High Decay Rate Simulation Parameters
313	3/15/2021 7:58:01 PM	56	BOSC Kanawha River Spill	Kanawha River	1	High Decay Rate Simulation Parameters
312	3/15/2021 7:53:31 PM	56	BOSC Kanawha River Spill	Kanawha River	1	High Decay Rate Simulation Parameters
239	1/6/2020 9:02:33 PM	55	Louisville Christmas Spill	Ohio River	1	High Decay Rate Simulation Parameters

Figure 14

To view the details of a result, click on that row and then click on the **View** action link to go to the **View** page for the selected result (Figure 15).

Home	About	Contact	Spills	Parameters	Results	Flows	Barges	Delete Login	Register	Role	Log off
----------------------	-----------------------	-------------------------	------------------------	----------------------------	--------------------------------	-----------------------	------------------------	------------------------------	--------------------------	----------------------	-------------------------

Scenario ID	315	Trailing Edge	0
Run Date Time	4/5/2021 7:50:55 PM	Parameter	
Spill ID	80	Global Flow Multiplier	1
Spill Description	test River Spill on 3/17	Time Step Length	1
River	Ohio River	Reporting Timestep	1
River Mile	475	Length	
Quantity (lb)	100000	Decay Rate	0
Spill Start Date Time	3/17/2021 7:19:44 AM	Simulation Duration	5
Duration (hrs)	5	(day)	
Spill Time Zone	EST	Dead Zone Average	1
Parameter ID	1	Velocity	
Parameter Description	High Decay Rate Simulation Parameters	Dead Zone Exchange	4.5E-06
Segments	50	Rate	
Flow Tolerance	10	Dead Zone Flow Area	0.1
Concentration	0.001	Multiplier	
Tolerance		First Time Step	0
Minimum Velocity	0.1	Last Time Step	119
Dispersion	0	Last Mile	253.6
Leading Edge	0	Max Concentration	0.7468
Parameter		Spill Location Main	506.8
		Stem	
		Spill Location Tributary	0

[Back](#)

© 2021 - RSMS

Figure 15

To delete a result, click on that row and then click on the **Delete** action link. A confirmation pop up box will appear. Click ok to delete a result (Figure 16).

The screenshot shows a web application interface. At the top, there is a navigation menu with links for Home, About, Contact, Spills, and Parameters. A user notification banner indicates a session timeout: "rsmstest.eastus.cloudapp.azure.com says Are you sure you want to delete ResultsID 315?". Below this, there are buttons for "OK" and "Cancel". A table of results is displayed below the dialog. The table has columns for Results ID, Run Date Time, Spill ID, Spill Description, River, Parameters ID, and Parameters Description. Row 315 is highlighted in grey.

Results ID	Run Date Time	Spill ID	Spill Description	River	Parameters ID	Parameters Description
315	4/5/2021 7:50:55 PM	80	test River Spill on 3/17	Ohio River	1	High Decay Rate Simulation Parameters
314	4/5/2021 7:45:52 PM	10	Microcystis Bloom - Aug-Sept 2015	Ohio River	1	High Decay Rate Simulation Parameters
313	3/15/2021 7:58:01 PM	56	BOSC Kanawha River Spill	Kanawha River	1	High Decay Rate Simulation Parameters
312	3/15/2021 7:53:31 PM	56	BOSC Kanawha River Spill	Kanawha River	1	High Decay Rate Simulation Parameters
239	1/6/2020 9:02:33 PM	55	Louisville Christmas Spill	Ohio River	1	High Decay Rate Simulation Parameters
238	1/6/2020 9:00:56 PM	55	Louisville Christmas Spill	Ohio River	1	High Decay Rate Simulation Parameters

Figure 16

To view the charts of a result, click on that row and then click on the **Charts** action link to go to the **Charts** page for the selected result. There are four different charts on this page.

1. CXPLT results (Figure 17)

- The CXPLT chart shows the spill concentration at a certain distance from the spill location.
- The user can use the slider bar below the graph to change what hour of the spill the graph represents.
- There's also a checkbox titled *Autoscale*, which will enable or disable auto-scaling of the Y-axis.

2. CTPLT results (Figure 18)

- The CTPLT chart shows the spill concentration at a certain hour after the spill start time.
- The user can use the slider bar below the graph to change what mile past the spill location the graph represents.
- There's also a checkbox titled *Autoscale*, which will enable or disable auto-scaling of the Y-axis.

3. Leading, Trailing, and Peak Concentration results (Figure 19)

This graph has four lines that show how long it takes for each part of the plume to reach a certain distance from the initial spill.

- Trailing Edge.
- Peak Arrival.
- Leading Edge.
- Peak Concentration.

4. Mass Balance results (Figure 20)




Figure 17 – Spill Plume at a particular time (hours since spill)




Figure 18 – Spill Plume at a particular distance (miles from spill location)





Figure 19



[Back](#)

© 2018 - RSMS

Figure 20

To view the results of a scenario on a map, click on that row and then click on the **Map** action link to go to the **Map** page for the selected result. (Figure 21).




Figure 21

Clicking on a blue pushpin will show a graph of the Spill plume at that river mile (Figure 22).




Figure 22

Red pushpins represent USGS stations on the rivers affected by the spill (Figure 23 and 24). Clicking on a red pushpin shows for Flow and Stage data graphs for that USGS station.




Figure 23




Figure 24

To download the results of a scenario in a concentration vs. distance view click on that row and then click on the C vs X action link for the excel file to download.

To download the results of a scenario in a concentration vs. time view click on that row and then click on the **C vs T** action link for the excel file to download.

To download the .nfq flow file of a scenario click on that row and then click on the **Flow** action link for the .nfq file to download.

Click on the **Flow** Page

Choose your river to view the flow charts (Figure 25 and 26).

The user can use the slider bar below the graph to change what River mile or day the graphs represent.





Figure 25



Upload Flow File

No file chosen

Last HEC_RAS file processed on Mon Apr 05 2021 16:30:54 GMT-0400 (Eastern Daylight Time)

Figure 26

7. Click on the **About** tab (on mobile devices activate the dropdown first) (Figures 27, 28 and 29).




Figure 27




Figure 28

About RSMS

- Main stem spills only (now can model tributaries)
- Spill location as river mile and can view results as river miles (with the mile markers ascending downstream)
- "Initialization" option to set concentration at different river miles
- Uses the USGS developed Branched Lagrangian Transport Model (BLTM) for Simulations (<http://water.usgs.gov/software/BLTM/>)
- Result Plots for Time, Location, Edge, Peak, and Mass
- Exportable results

Figure 29

8. Click on the **Contact** tab (Figure 30).

Home About **Contact** Log in

Contacts

ORSANCO: Lila Xepoleas Ziolkowski, MPH lziolkowski@orsanco.org
 Technical Programs Manager for Source Water Protection & Emergency Response
 Ohio River Valley Water Sanitation Commission
 5735 Kellogg Avenue
 Cincinnati, Ohio 45230
 P: 513.231.7719 X 122 or 123

US EPA: James A. Goodrich, Ph.D. goodrich.james@epa.gov
 Sr. Science Advisor
 U.S. Environmental Protection Agency
 26 West Martin Luther King Drive, NB-31
 Cincinnati, Ohio 45268
 P: 513.569.7605

Global Quality Corp.: Jacob Specht jacob@gqc.com
 Senior Software Director
 Global Quality Corp.
 405 Garrard St. Suite 003
 Covington, Kentucky 41011

APTIM: Don Schupp, P.E. don.schupp@aptim.com
 Project Manager
 APTIM -- USEPA T&E Facility
 1600 Gest St.
 Cincinnati, Ohio 45204
 P: 513.312.6357

© 2026 - RSMS

Figure 30